CREATING PRODUCTS using Id Adobe InDesign

Id

HARDCOVER WITH WIRE-O OR SPIRAL BINDING

INITIAL SET UP

- Begin by going to the Vervante Website
- Click on Help > Print Specs & Templates > Books
- From the drop-down menu select Hard Cover Wire-o
- Enter number of pages and document size

Calculate Your Book Cover Dimensions


To calculate the dimensions of your book's finished cover size, use our calculator to determine the exact size of your cover.


1. Type of book binding:	Wire-o	~
2. Enter # Pages: o		
This is the total number of po	ages in your book, not the number of sheets.	
3. Enter Page width in in	ches (left to right): 7	
4. Enter Page height wid	th in inches (top to bottom): 9	
5. Finished Cover Size in	inches: Total Cover Width: 8.875 Total	Cover

Your book cover dimensions includes .75" bleed on all sides. Please include bleed and crop marks on your print files.

Update

- Create New Document in InDesign
- Use the larger dimension on the height and width of the template to determine the size that your document should be.
- Because there is .75" wrap on these covers, you will want to create a .75" margin on your design with no bleed.
- Click Create






HARDCOVER WITH WIRE-O OR SPIRAL BINDING

ld

MARGIN SET UP


- BLACK LINE: This is the trim line to the final size of your cover, anything beyond this line will be trimmed.
- PURPLE LINE: This is your margin line or Safety Line There should be no text beyond this line because it will wrap around the edge of the cover as a wrap.
- BLUE LINES: These are your ruler guides to show the binding area, where no text should be placed. Center all artwork to the right of this guide.

Use your ruler guides to create a template for your binding edge. For a 7x9 cover, you will center all artwork in the 6.875" space on the right side.



DESIGN LAYOUT

Here is an example of how a design layout should look when completed with having the background go clear to the edge beyond the margin line and the design centered in the 6.875" space on the right of the binding edge.



HARDCOVER WITH WIRE-O OR SPIRAL BINDING

EXPORTING TO PDF

• File > Save As

d

- Choose Destination and Name your document
- Click Save (this will save the InDesign file)
- File > Export
- Select Adobe PDF (Print) for File Format
- Select Marks and Bleeds Tab on left hand side of dialog box
- Remove Crop Marks, make sure document bleeds are 0
- Select Export


Adobe PDF Preset Dric			
Standard: Nor General Compression Marks and Riveds Output Advanced	Marks and Bleeds Marks All Printer's Marks Crop Marks	Compatibility: Acrobat 5 (PDF 1.4) Type: Default Weight: 0.25 pt	*
Security Summary	Bleed Marks Registration Marks Color Bars Color Bars Page Information Bleed and Slug Use Document Bleed Settings Bleed:	Offset: 🗘 0.0833 in	
(Save Preset)	Top: (2 0 in Bottom: (2 0 in Include Slug Area	Left: () 0 in Right: () 0 in	



INITIAL SET UP

- Begin by going to the Vervante Website
- Click on Help > Print Specs & Templates > Books
- From the drop-down menu select Perfect Bound Cover
- Enter number of pages and document size

Calculate Your Book Cover Dimensions
To calculate the dimensions of your book's finished cover size, use our calculator to determine the exact size of your cover.
1. Type of book binding: Perfect Bound
2. Enter # Pages: 200
This is the total number of pages in your book, not the number of sheets.
3. Enter Page width in inches (left to right): 7
4. Enter Page height width in inches (top to bottom): 9
5. Finished Cover Size in inches: Total Cover Width: 14.67 Total Cover Height: 9.25
Your book cover dimensions includes 1/8" bleed on all sides. Please include bleed and crop marks on your print files.



- Create New Document in InDesign
- Add both page size width to spine size to get correct width of document, make height of page size the trim size of your page (example: for a 7x9 book with 200 pages, your cover width will be 14.42" wide by 9" tall)
- · Select 0.25" margin on all sides of the cover
- Select 0.125" bleed on all sides of the cover


		April 2	No.		
- 2 mm	ter ter terre				
Ber-	all your per discovers with	omething new water and di		A Annual An Annual Annual Annu	
					C C C C C C C C C C C C C C
- <u>1</u>		- 	ļ.		ten Sana Sana Sana
- 	- <u>1</u>	Ē	i Tite	100001	1000 3 Anno 1 2 Anno 1
1		et= C	Ð		

BLEED AND CROP MARK SET UP

- RED LINE: This is your bleed line this refers to an extra 1/8" (. 125 in) of image or background color that extends beyond the trim area of your printing piece. If your card is full color it will give the appearance that the image is "bleeding" off the edge of the paper.
- BLACK LINE: This is the trim line to the final size of your card, anything beyond this line will be trimmed
- PURPLE LINE: This is your margin line or Safety Line There should be no text beyond this line because it could run the risk of being trimmed off.

- BLUE LINES: These are your ruler guides to show the design space of your spine.
- Front Cover is always on the right hand side, back cover is always on the left.


Use your ruler guides to create a template for your spine by dragging over one to 7" and another one to 7.42". This will create the space you need to design the spine of your book.






DESIGN LAYOUT

Here is an example of how a design layout should look when completed with having the background design bleed off the edge, text remaining within the margins and spine text reading top to bottom.



EXPORTING TO PDF

- File > Save As
- · Choose Destination and Name your document
- Click Save (this will save the InDesign file)
- File > Export
- Select Adobe PDF (Print) for File Format
- Select Marks and Bleeds Tab on left hand side of dialog box
- Select Crop Marks and Use Document Bleed Settings
- Select Export



INITIAL SET UP

- Begin by going to the Vervante Website
- Click on Help > Print Specs & Templates > Books
- From the drop-down menu select Saddle-Stitched Cover
- Enter number of pages and document size

Calculate Your Book Cover Dimensions

To calculate the dimensions of your book's finished cover size, use our calculator to determine the exact size of your cover.

1. Type of book binding:	Saddle-Stitched	×
2. Enter # Pages: 400		
This is the total number of po	ages in your book, not the number of sheets.	
3. Enter Page width in in	ches (left to right): 8.5	
4. Enter Page height wid	th in inches (top to bottom): 11	
5. Finished Cover Size in	inches: Total Cover Width: 17.25 Tota	al Cover

Your book cover dimensions includes 1/8" bleed on all sides. Please include bleed and crop marks on your print files.

8.500	17.25	8.500	
v = Full cover width, with bleed = Front/back cover width, trimmed = Cover height, with bleed I = Cover height, trimmed	Name and		11.00 11.25

- Create New Document in InDesign
- Add both page size width to get the correct width of document, make height of page size the trim size of your page (ex. for an 8.5x11 book with 400 pages, your cover width will be 17" wide by 11" tall
- Select 0.25" margin on all sides of the cover
- Select 0.125" bleed on all sides of the cover
- Click Create

Note: Saddle-Stitched covers are just folded in the center with no spine and do not need additional size added to the width

					bleed	
0 8	0 0 0		Mary Desar	Heff.		
	0 1 0	-	Mre Deuse			
Sheet 1	Sheet 100 000	100.1009				
		Ď		÷	rest times 1 sectors 2 stress 2 stress 2 stress	(5) 1909 1909
+		j.				Andrey Team
					1 1 1 1 1	Distance Distance Distance April 2 Distance
					rimming met 2 annie 2 annie 2 annie 2 annie	i ane 2 ane 2 ane 2 ane
	-				54 1944 1944 1944 1944 1944	۵ ک
	р		 (1)		- 🕳 🌢	-

VERVANTE EXPERT GUIDE


.25

BLEED AND CROP MARK SET UP

- RED LINE: This is your bleed line this refers to an extra 1/8" (. 125 in) of image or background color that extends beyond the trim area of your printing piece. If your card is full color it will give the appearance that the image is "bleeding" off the edge of the paper.
- BLACK LINE: This is the trim line to the final size of your card, anything beyond this line will be trimmed
- PURPLE LINE: This is your margin line or Safety Line There should be no text beyond this line because it could run the risk of being trimmed off.


- BLUE LINES: These are your ruler guides to show the design space of your center fold seperating the covers
- Front Cover is always on the right hand side, back cover is always on the left.

Use your ruler guides to create a template for your center fold to seperate the front and back covers




DESIGN LAYOUT

Here is an example of how a design layout should look when completed with having the background design bleed off the edge, text remaining within the margins.



EXPORTING TO PDF

- File > Save As
- · Choose Destination and Name your document
- Click Save (this will save the InDesign file)
- File > Export
- Select Adobe PDF (Print) for File Format
- Select Marks and Bleeds Tab on left hand side of dialog box
- Select Crop Marks and Use Document Bleed Settings
- Select Export



SOFTCOVER & 10 MM LAMINATED W/ SPIRAL OR WIRE-O BINDING



INITIAL SET UP

- Begin by going to the Vervante Website
- Click on Help > Print Specs & Templates > Books
- From the drop-down menu select Softcover Spiral or Wire-O Bound Cover
- Enter number of pages and document size

Calculate Your Book Cover Dimensions

To calculate the dimensions of your book's finished cover size, use our calculator to determine the exact size of your cover.


1. Type of book binding	Spiral or Wire-o Bound (soft and board)
2. Enter # Pages: 400	
This is the total number of p	ages in your book, not the number of sheets.
3. Enter Page width in ir	nches (left to right): 8.5
4. Enter Page height wi	dth in inches (top to bottom): 11
5. Finished Cover Size in	inches: Total Cover Width: 8.75 Total Cov


Your book cover dimensions includes 1/8" bleed on all sides. Please include bleed and crop marks on your print files.

Update



- Create New Document in InDesign
 Make width of page size the trim size of your page, make height of page size the trim size of your page (ex. for an 8.5x11 book with 400 pages, your cover width will be 8.5" wide by 11" tall
- Make pages say 2, if you have inside covers, this number will be 4.
- Select 0.5" margin on all sides of the cover
- Select 0.125" bleed on all sides of the cover
- Click Create






VERVANTE EXPERT GUIDE

1.25

BLEED AND CROP MARK SET UP

- RED LINE: This is your bleed line this refers to an extra 1/8" (. 125 in) of image or background color that extends beyond the trim area of your printing piece. If your card is full color it will give the appearance that the image is "bleeding" off the edge of the paper.
- BLACK LINE: This is the trim line to the final size of your card, anything beyond this line will be trimmed
- PURPLE LINE: This is your margin line or Safety Line There should be no text beyond this line because it could run the risk of being trimmed off.

You will create two page document for your front and back cover design. If your document has inside covers, you will need a four page document.




Back Cover or Inside Front Cover

SOFTCOVER & 10 MM LAMINATED W/ SPIRAL OR WIRE-O BINDING

DESIGN LAYOUT


Here is an example of how a design layout should look when completed with having the background design bleed off the edge, text remaining within the margins.





EXPORTING TO PDF

- File > Save As
- · Choose Destination and Name your document
- Click Save (this will save the InDesign file)
- File > Export
- · Select Adobe PDF (Print) for File Format
- Select Marks and Bleeds Tab on left hand side of dialog box
- Select Crop Marks and Use Document Bleed Settings
- Select Export



HARDCOVER WITH CONCEALED WIRE-O BINDING





INITIAL SET UP

- Begin by going to the Vervante Website
- Click on Help > Print Specs & Templates > Books
- From the drop-down menu select Concealed Wire-O Hard Cover
- Enter number of pages and document size


Calculate Your Book Cover Dimensions

To calculate the dimensions of your book's finished cover size, use our calculator to determine the exact size of your cover.





- Create New Document in InDesign
- Use the larger dimension on the height and width of the template to determine the size that your document should be. (ex: 21.75" width and 12.75" height)
- Because there is .75" wrap on these covers, you will want to create a .75" margin on your design with no bleed.
- Click Create






MARGIN SET UP

- BLACK LINE: This is the trim line to the final size of your cover, anything beyond this line will be trimmed.
- PURPLE LINE: This is your margin line or Safety Line There should be no text beyond this line because it will wrap around the edge of the cover as a wrap.
- BLUE LINES: These are your ruler guides to show the binding area, where no text should be placed. Center all artwork to the right of this guide.

Use your ruler guides to create a template for the hinge & spine by dragging over ruler guides to these measurements. 10" and 11.75" for the spine and then add .375" to the outside edge of the spine on both sides for the hinge.




HARDCOVER WITH CONCEALED WIRE-O BINDING

DESIGN LAYOUT


D

Here is an example of how a design layout should look when completed with having the background design bleed into the margin area for the wrap, and text remaining within the margins and left and right of the hinge with the spine text reading top to bottom.



EXPORTING TO PDF

- File > Save As
- · Choose Destination and Name your document
- Click Save (this will save the InDesign file)
- File > Export
- · Select Adobe PDF (Print) for File Format
- Select Marks and Bleeds Tab on left hand side of dialog box
- Remove Crop Marks, make sure document bleeds are 0
- Select Export




INITIAL SET UP

- Begin by going to the Vervante Website
- Click on Help > Print Specs & Templates > Books
- From the drop-down menu select Case Wrap
- Enter number of pages and document size

	S-25	9-35		
 Type of book binding: Case Wrap Enter # Pages: 400 This is the total number of pages in your book, not the number of sheets. Enter Page width in inches (left to right): 8,5 Enter Page height width in inches (top to bottom): 11 Finished Cover Size in inches: Total Cover Width: 21.75 Total Cover Height: 	w = Full cover width with wrap h = Cover height with wrap a = Frontback cover width trimmed d = Cover height trimmed c = Effective page content width	Canter page content in this space	11.25 12.75	11.25 12.75
Your book cover dimensions includes .75" wrap on all sides. Please include wrap and cr print files. Update	1.7	375 HINGE	U S BLEED 7	

- Create New Document in InDesign
- Use the larger dimension on the height and width of the template to determine the size that your document should be. (ex: 21.75" width and 12.75" height)
- Because there is .75" wrap on these covers, you will want to create a .75" margin on your design with no bleed.
- Click Create






MARGIN SET UP

- BLACK LINE: This is the trim line to the final size of your cover, anything beyond this line will be trimmed.
- PURPLE LINE: This is your margin line or Safety Line There should be no text beyond this line because it will wrap around the edge of the cover as a wrap.
- BLUE LINES: These are your ruler guides to show the binding area, where no text should be placed. Center all artwork to the right of this guide.

Use your ruler guides to create a template for the hinge & spine by dragging over ruler guides to these measurements. 10" and 11.75" for the spine and then add .375" to the outside edge of the spine on both sides for the hinge.



HARDCOVER CASE BINDING WITH PUR GLUE OR SMYTH SEWN

DESIGN LAYOUT


D

Here is an example of how a design layout should look when completed with having the background design bleed into the margin area for the wrap, and text remaining within the margins and left and right of the hinge with the spine text reading top to bottom.

ы NOOR PUBLISHING TIPS & TRICKI ΒΟΟΚ ΡΙ ISHIN ins & Wiek By: Cindy Tyler ¥ VERVANTE"

EXPORTING TO PDF

- File > Save As
- · Choose Destination and Name your document
- Click Save (this will save the InDesign file)
- File > Export
- Select Adobe PDF (Print) for File Format
- Select Marks and Bleeds Tab on left hand side of dialog box
- Remove Crop Marks, make sure document bleeds are 0
- Select Export



INITIAL SET UP

- Begin by going to the Vervante Website
- Click on Help > Print Specs & Templates > Books
- From the drop-down menu select Hard Cover Wire-o
- Enter number of pages and document size

Calculate Your Book Cover Dimensions


To calculate the dimensions of your book's finished cover size, use our calculator to determine the exact size of your cover.


1. Type of book binding:	Wire-o 🗸	
2. Enter # Pages: 0		
This is the total number of pa	ges in your book, not the number of sheets.	
3. Enter Page width in in	ches (left to right): 7	
4. Enter Page height wid	th in inches (top to bottom): 9	
5. Finished Cover Size in	inches: Total Cover Width: 8.875 Total Cover Height:	10.75

Your book cover dimensions includes .75" bleed on all sides. Please include bleed and crop marks on your print files.



- Create New Document in InDesign
- Use the larger dimension on the height and width of the template to determine the size that your document should be.
- Because there is .75" wrap on these covers, you will want to create a .75" margin on your design with no bleed.
- Click Create






MARGIN SFT UP


- BLACK LINE: This is the trim line to the final size of your cover, anything beyond this line will be trimmed.
- PURPLE LINE: This is your margin line or Safety Line There should be no text beyond this line because it will wrap around the edge of the cover as a wrap.
- BLUE LINES: These are your ruler guides to show the binding area, where no text should be placed. Center all artwork to the right of this guide.

Use your ruler guides to create a template for your binding edge. For a 7x9 cover, you will center all artwork in the 6.875" space on the right side.

PRINTED COVER SET UP

- Open your original cover file
- Identify which parts of your cover you would like to be foil (ex: The outline around 30 and Tips and Tricks will be foiled in this front cover design)
- When you submit your cover design these elements will not be included (see example)






1. Original Cover

2. Cover with Foil Elements Removed

FOIL COVER SET UP

ld

- Select the foil elements from the printed cover design, Copy them.
- Click on page 2 blank document, right click Paste in Place
- To double check your placement, you can realign them and double check that they are aligned correctly



3. New Cover with Foil Elements

4. Double Checking Alignment

DESIGN LAYOUT

Here is an example of how the design layout should look for both documents submitted for the printed cover and the foil cover.



EXPORTING TO PDF

• File > Save As

0

- Choose Destination and Name your document
- Click Save (this will save the InDesign file)
- File > Export
- Select Adobe PDF (Print) for File Format
- Select Marks and Bleeds Tab on left hand side of dialog box
- Select Crop Marks and Use Document Bleed Settings
- Select Export

	Export Adob		
Adobe POF Preset: [High	Quality Print) (modified)		
Standard: None	*	Compatibility: Acrobat 5 (PDF 1.4)	
Central	Marks and Elects		
Compression Markos and Bleeds Output Advanced Security Scientify	Marks All Princer's Marks Crop Marks Bleed Marks Registration Marks Color Bars Page Information	Type: Default	
	Elect and Slug Use Document Bleed Settings Elect Top C 0.125 in Bottom C 0.111 Jac Include Slug Area		
(Save Preset)		Cancel Dupo	n.

INITIAL SET UP

- Begin by going to the Vervante Website
- Click on Help > Print Specs & Templates > Books
- From the drop-down menu select Softcover Spiral or Wire-O Bound Cover
- Enter number of pages and document size

Calculate Your Book Cover Dimensions


To calculate the dimensions of your book's finished cover size, use our calculator to determine the exact size of your cover.


. Type of book binding	Spiral or Wire-o Bound (soft and board)
. Enter # Pages: 400	
This is the total number of p	ages in your book, not the number of sheets.
. Enter Page width in i	nches (left to right): 8.5
. Enter Page height wi	dth in inches (top to bottom): 11
. Finished Cover Size ir	n inches: Total Cover Width: 8.75 Total Cov

Your book cover dimensions includes 1/8" bleed on all sides. Please include bleed and crop marks on your print files.

Update

- Create New Document in InDesign
- Make width of page size the trim size of your page, make height of page size the trim size of your page (ex. for an 8.5x11 book with 400 pages, your cover width will be 8.5" wide by 11" tall
- Make pages say 2, if you have inside covers, this number will be 4.
- Select 0.5" margin on all sides of the cover
- Select 0.125" bleed on all sides of the cover
- Click Create






VERVANTE EXPERT GUIDE

1.25

BLEED AND CROP MARK SET UP

- RED LINE: This is your bleed line this refers to an extra 1/8" (. 125 in) of image or background color that extends beyond the trim area of your printing piece. If your card is full color it will give the appearance that the image is "bleeding" off the edge of the paper.
- BLACK LINE: This is the trim line to the final size of your card, anything beyond this line will be trimmed
- PURPLE LINE: This is your margin line or Safety Line There should be no text beyond this line because it could run the risk of being trimmed off.

You will create two page document for your front and back cover design. If your document has inside covers, you will need a four page document.



Back Cover or Inside Front Cover

PRINTED COVER SET UP


- Open your original cover file
- · Identify which parts of your cover you would like to be foil (ex: The outline around 30 and Tips and Tricks will be foiled in this front cover design)
- When you submit your cover design these elements will not be included (see example)

FOIL COVER SET UP

DESIGN LAYOUT

- Select the foil elements from the printed cover design, Copy them.
- Click on page 2 blank document, right click Paste in Place
- To double check your placement, you can realign them and double check that they are aligned correctly

the printed cover and the foil cover.



VERVANTE EXPERT GUIDE

By: Cindy Tyler

VERVANTE

DESIGN LAYOUT


D

Here is an example of how the design layout should look for both documents submitted for the printed cover and the foil cover.



EXPORTING TO PDF


- File > Save As
- Choose Destination and Name your document
- Click Save (this will save the InDesign file)
- File > Export
- Select Adobe PDF (Print) for File Format
- Select Marks and Bleeds Tab on left hand side of dialog box
- Select Crop Marks and Use Document Bleed Settings
- Select Export



INITIAL SET UP


- Create New Document in InDesign
- Make width of page size the trim size of your page, make height of page size the trim size of your page (ex. for an 8.5x11 book, your interior pages will be 8.5" wide by 11" tall)
- You will input the amount of pages in your document under the pages box
- Select 0.5" margin on all sides of the pages for binding
- Select 0.125" bleed on all sides for pages that need bleed
- Click Create

Page 1 is the first page of your document starting on the right side, page 2 is the backside of page 1 on the left then continued throughout your interior.



EXPORTING TO PDF


- File > Save As
- · Choose Destination and Name your document
- Click Save (this will save the InDesign file)
- File > Export
- Select Adobe PDF (Print) for File Format
- Select Marks and Bleeds Tab on left hand side of dialog box
- Select Crop Marks and Use Document Bleed Settings
- Select Export



DIE-CUT TABS: SINGLE AND 2-SIDED

INITIAL SET UP

- Create New Document in InDesign
- Enter in your print document size trim height and add 0.5" to the width (ex. If your document size is 8.5x11, your tab design file will be 9x11)
- You will input the amount of pages in your document under the pages box (ex: 12 tabs pages for 12 months)
- Select 0.5" margin on all sides of the pages for binding
- Select 0.125" bleed on all sides for pages that need bleed
- Click Create



• To calculate the spacing of tabs, divide the height of

DETERMINE TAB SIZE

the page by the number of tabs in your bank 8.5″ Divide the height of the document by the number of • tabs you want in your document (ex: Divide 11" by 6 and that would make each tab 1.8") 1.8" Apart Use the ruler guides to create the spacing of the tabs Tab to put the tab titles in Center content on page in the 8.5x11 space Tabs cannot be smaller than 1" wide TRIM LINE **RULER GUIDES BLEED LINE** MARGIN/ SAFETY LINE

DIE-CUT TABS: SINGLE AND 2-SIDED





2-SIDED TABS

- Tabs can be printed single-sided or 2-sided. The body of the tab can contain graphics, or just the tab extension can be printed
- For side 1 of the tabs, 1/2" for the tab to the right side of the. Center the content for the body of the tab within the page size – not the width of the tab.
- For side 2 of the tabs, add 1/2" for the on the left side of the page. Center the content for the body of the tab within the page size – not the width of the tab.

* Remember that $\frac{1}{2}$ " will be trimmed from the tab side of the sheet.


Tabs are inserted before an odd-numbered page in your PDF. Even numbered pages in a PDF are side two of a sheet of paper so a tab cannot be inserted before an even page number.





EXPORTING TO PDF


- File > Save As
- Choose Destination and Name your document
- Click Save (this will save the InDesign file)
- File > Export
- Select Adobe PDF (Print) for File Format
- Select Marks and Bleeds Tab on left hand side of dialog box
- Select Crop Marks and Use Document Bleed Settings
- Select Export



CARD DECKS


INITIAL SET UP

- Begin by creating a new document
- Choose the size of your cards height and width
- Select number of cards in your deck, including the back cards as well. If there are 25 cards in your deck, you will input 50 pages.
- Uncheck "Facing Page" if selected
- Select 0.25" margin on all sides of the cards
- Select 0.125" bleed on all sides of the cards
- Click Create



BLEED AND MARGIN

- RED LINE: This is your bleed line this refers to an extra 1/8" (. 125 in) of image or background color that extends beyond the trim area of your printing piece. If your card is full color it will give the appearance that the image is "bleeding" off the edge of the paper.
- BLACK LINE: This is the trim line to the final size of your card, anything beyond this line will be trimmed
- PURPLE LINE: This is your margin line or Safety Line There should be no text beyond this line because it could run the risk of being trimmed off.



CARD DECKS

DESIGN LAYOUT

Here is an example of how a design layout should look when completed with having the background design bleed off the edge, text remaining within the margins.


Page 1 will be Card 1, Page 2 will be the back of Card 1, Page 3 will be Card 2 and Page 4 will be the back of Card 2 and so on.

If your card deck has the same back card for every card, you will simply copy and paste the back card every other card through the entire document. By right clicking on the blank page and selecting "Paste in Place"



EXPORTING TO PDF

- File > Save As
- Choose Destination and Name your document
- Click Save (this will save the InDesign file)
- File > Export
- Select Adobe PDF (Print) for File Format
- Select Marks and Bleeds Tab on left hand side of dialog box
- Select Crop Marks and Use Document Bleed Settings
- Select Export






INITIAL SET UP

- Begin by going to the Vervante Website
- Click on Help > Print Specs & Templates > Cards, Card Decks, Bookmarks
- From the drop-down menu select Tuck Box
- Enter number of cards and card size


Calculate Your Tuckbox Dimensions

Start Here:
To calculate the dimensions of your tuckbox finished size, use our calculator to determine the exact size of your tuckbox. NOTE: The box image is not to scale. Please use dimensions provided when creating artwork. Image is for layout configuration.
1. Enter # Cards: 50
This is the total number of cards in your deck.
2. Enter Card width in inches (left to right): 3.5
3. Enter Card height width in inches (top to bottom): 5
4. Finished Box Size in inches:
Total Box Width: 3.625
Total Box Height: 5.125
Total Depth: 0.800



NOTE: The box image is not to scale. Please use dimensions provided when creating artwork. Image is for layout configuration.


- Create New Document in InDesign
- Add both card size width to depth size (x3) to get the correct width of document, Add card size height to depth size (x4) to get the correct height of document (ex. for a card deck that is 5x3.5 with 50 cards, your cover width will be 9.65" wide by 8.325" tall
- Select .125" bleed on all sides of the document
- Click Create



TEMPLATE SET UP

- There are two ways you can create your template using Indesign.
- The first way you can use your ruler guides and create your template by dragging them over from the edges into the correct measurements

For this certain size of tuck box dragging over left to right to .8", 4.425", 5.225", and 8.85." Then from top to bottom drag the guides to .8", 1.6", 6.725", 7.525", and 8.325." Delete template before uploading final design.



 The second way you can use your rectangle tool and create the size of boxes you need to build the template


For this certain size of tuck box you would create 4-.8"x.8" squares for the tabs, 4-3.625"x .8"" rectangles for the top and bottom and flaps of box, 3-5.125"x.8" for the glue edge, and design edges of box and 2-3.625"x5.125" for the front and back of the box. Place them all together and delete template before uploading final design.

	Top of Box Flap			
	Top of Box	Tab		Tab
Glue Edge (No Artwork)	Box Back	Edge of Box	Box Front	Edge of Box
		Tab	Bottom of Box	Tab
			Bottom of Box Flap	
BLE	EED LINE			




Id

Here is an example of how a design layout should look when completed with having the background design bleed off the edge, text remaining within the margins.



EXPORTING TO PDF

- File > Save As
- Choose Destination and Name your document
- Click Save (this will save the InDesign file)
- File > Export
- Select Adobe PDF (Print) for File Format
- Select Marks and Bleeds Tab on left hand side of dialog box
- Remove Crop Marks, make sure document bleeds are .125"
- Select Export



KISS-CUT STICKERS

INITIAL SET UP

- Create New Document in InDesign
- Make width of page size the trim size of your page, make height of page size the trim size of your page
- Select 0.5" margin on top and bottom of sheet
- Select 0.25" bleed on left and right side of sheet
- Click Create

0 = 0		New Dock	unventi			
C ferred taxed 1	met with Milliar					
Start wet	Let's start something new. Start with year own document settings or hum a neege of document (inno get working existing			PARACOLOGIA Desina 1 North D: 45 m Teager	teriti Inches Drimmetim	± -
] [2 BH Nan 1 Bate 1 1 Second	Nora han D Nora han D Nora hathan D	
			-	C L Vitepa C 054 G C 054 G C 055	2 836779) 6000 (2 8556) 601 (2 8459)	œ.
	Q		D	n ine .	(ann) 🤇	beens)

BLEED AND MARGIN

- If your sticker has a bleed, please make sure the sticker design is 1/8" outside of cut line
- If your sticker does not need a bleed, please make sure the sticker is 1/8" inside the cut line
- There needs to be 1/16" between each stickers cut line



Example of sticker with no bleed and the design 1/8" inside cut line



Example of sticker with 1/8" bleed



KISS-CUT STICKERS

DESIGN LAYOUT


Here is an example of how a design layout should look with the magenta lines outlining the stickers and correct measurements between the stickers and around the edge of the document.

Note: InDesign is not a vector based software. You will not be able to add the vector cut lines correctly. If you cannot add the magenta cut line in another program, such as Adobe Illustrator, we'll be happy to add this for you.



EXPORTING TO PDF

- File > Save As
- · Choose Destination and Name your document
- Click Save (this will save the InDesign file)
- File > Export
- Select Adobe PDF (Print) for File Format
- Select Marks and Bleeds Tab on left hand side of dialog box
- Select Crop Marks and Use Document Bleed Settings
- Select Export



FOIL STAMP OR EMBOSSED




INITIAL SET UP

- Create New Document in InDesign
- Choose the size of your product cover (For this example I will be using a 8.5x11 spiral cover)
- Make pages say 2, one for you cover, one for you foil overlay cover
- Select 0.5" margin on all sides of the cover
- Select 0.125" bleed on all sides of the cover
- Click Create


PRINTED COVER SET UP

- Open your original cover file
- Identify which parts of your cover you would like to be foil (ex: The outline around 30 and Tips and Tricks will be foiled in this front cover design)
- When you submit your cover design these elements will not be included (see example)



1. Original Cover


2. Cover with Foil Elements Removed



FOIL STAMP OR EMBOSSED

FOIL COVER SET UP

- Select the foil elements from the printed cover design, Copy them.
- Click on page 2 blank document, right click
 Paste in Place
- To double check your placement, you can realign them and double check that they are aligned correctly



3. New Cover with Foil Elements

4. Double Checking Alignment

DESIGN LAYOUT

Here is an example of how the design layout should look for both documents submitted for the printed cover and the foil cover.



FOIL STAMP OR EMBOSSED

EXPORTING TO PDF

• File > Save As

- Choose Destination and Name your document
- Click Save (this will save the InDesign file)
- File > Export
- Select Adobe PDF (Print) for File Format
- Select Marks and Bleeds Tab on left hand side of dialog box
- Select Crop Marks and Use Document Bleed Settings
- Select Export

Adobe POF Preset: (High)	Quality Print] (modified)		
Standard: None		Compatibility: Acrobat 5 (PDF 1.4)	
General Compression Marko and Bleeds Output Advanced Security Summary	Marks and Bleeds Marks Marks Crop Marks Bleed Marks Registration Marks Color Bars Color Bars Page Information Bleed and Slug Use Document Bleed Setting Bleed Top C 0,325 m Bottom C 0,125 m	Type: Default	
Save Preset)	Include Slug Area	Cancel Exper	